



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

List of Items

Table of contents:

Bidding Instructions
Draft Purchase Order
List of Items



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

List of Items

Table with 4 columns: Line item, Stock Number, Unit of Issue, Quantity. Row 10: 5310014905665, NUT,PLAIN,HEXAGON, each, 36

ITEM NAME..... NUT,PLAIN,HEXAGON
END ITEM IDENTIFICATION..... HELICOPTER FUSELAGE
PART NAME ASSIGNED BY
CONTROLLING AGENCY..... BARREL NUT SELF LOCKING

REFERENCES:

Table with 3 columns: CAGE Code, Name, Part Number. Rows: 57550 RELLI TECHNOLOGY INC SL4168M18, 97393 SHUR-LOK CORP SL4168M18

AUTHORIZED CAGE CODE: 57550 / 97393

P/N: SL4168M18

CONDITION:

NEW, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM THE OEM

NEW SURPLUS, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM OEM

OVERHAULED/REFURBISHED, WHEN OVERHAULED/REFURBISHED IS APPLICABLE TO THE MATERIAL TYPE, COC FROM THE AUTHORITY PERFORMING THE OVERHAUL/REFURBISHMENT IN ACCORDANCE WITH THE RFP'S QUALITY REQUIREMENTS

ALL BIDDERS MUST CLEARLY DECLARE THE SOURCE AND TYPE OF COC IN THEIR OFFER TO BE CONSIDERED FOR EVALUATION.

EVALUATION CRITERIA:

FIRST LEVEL WILL BE THE AUTHORIZED CAGE CODE AND P/N IN NEW OR NEW SURPLUS CONDITION.

DELEVERY TIME TO SUPPLY SHALL NOT EXCEED 18 MONTHS AFTER CONTRACT AWARD (CA)

IF NO OFFER FOR NEW OR NEW SURPLUS IS RECEIVED, OFFERS WITH CONDITION OVERHAULED/REFURBISHED MAY BE TAKEN INTO CONSIDERATION PROVIDED THAT THE BIDDER CAN DEMONSTRATE THAT THE OVERHAUL/REFURBISHMENT WAS PERFORMED WITH THE QUALITY STANDARDS EXPRESSED IN THE RFP.

IF ONLY VALID OFFERS RECEIVED FOR ALTERNATE CAGE CODE, P/N AND CONDITION, THESE MAY BE ACCEPTED UPON APPROVAL BY THE END USER WITH THE PROOF OF DOCUMENT OF REPLACEMENT OR EVOLUTION OR INTERCHANGIBILITY WITH THE OFFER.



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

Quality assurance requirements:

This contract shall meet the AQAP 2131 requirements (NATO Quality Assurance Requirements for Final Inspection and Test). These requirements also apply to all sub-contractors involved in this contract.

GQA HEADER:

Government Quality Assurance is not required for this contract. The Contractor must provide a Certificate of Conformity (CoC). Template to be used is to be found in AQAP2070. In case the contractor is not the manufacturer, the contractor shall provide a copy of the COC received from the manufacturer.

Evaluation criteria:

The criteria, which NSPA will employ in selecting the successful offerer will be in the following order: a. compliance with the Terms and Conditions of the RFP, b. lowest price. Although that the lowest price will be the predominant criteria in the evaluation of the proposals, NSPA is also concerned to receive your best delivery terms.

Table with 4 columns: Line item, Stock Number, Unit of Issue, Quantity. Row 20: 5310992249053 WASHER,FLAT, each, 30. Includes detailed technical specifications for the washer.

REFERENCES:

Table with 3 columns: CAGE Code, Name, Part Number. Rows: F9211 L'HOTELLIER 36990/1, F9211 L'HOTELLIER WK 36990/1 ISS 5

AUTHORIZED CAGE CODE: F9211 / K1536

P/N: W 36990/1 ISS 5

CONDITION:

NEW, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM THE OEM



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

NEW SURPLUS, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM OEM

OVERHAULED/REFURBISHED, WHEN OVERHAULED/REFURBISHED IS APPLICABLE TO THE MATERIAL TYPE, COC FROM THE AUTHORITY PERFORMING THE OVERHAUL/REFURBISHMENT IN ACCORDANCE WITH THE RFP'S QUALITY REQUIREMENTS

ALL BIDDERS MUST CLEARLY DECLARE THE SOURCE AND TYPE OF COC IN THEIR OFFER TO BE CONSIDERED FOR EVALUATION.

EVALUATION CRITERIA:

FIRST LEVEL WILL BE THE AUTHORIZED CAGE CODE AND P/N IN NEW OR NEW SURPLUS CONDITION.

DELEVERY TIME TO SUPPLY SHALL NOT EXCEED 18 MONTHS AFTER CONTRACT AWARD (CA)

IF NO OFFER FOR NEW OR NEW SURPLUS IS RECEIVED, OFFERS WITH CONDITION OVERHAULED/REFURBISHED MAY BE TAKEN INTO CONSIDERATION PROVIDED THAT THE BIDDER CAN DEMONSTRATE THAT THE OVERHAUL/REFURBISHMENT WAS PERFORMED WITH THE QUALITY STANDARDS EXPRESSED IN THE RFP.

IF ONLY VALID OFFERS RECEIVED FOR ALTERNATE CAGE CODE, P/N AND CONDITION, THESE MAY BE ACCEPTED UPON APPROVAL BY THE END USER WITH THE PROOF OF DOCUMENT OF REPLACEMENT OR EVOLUTION OR INTERCHANGIBILITY WITH THE OFFER.

Quality assurance requirements:

This contract shall meet the AQAP 2131 requirements (NATO Quality Assurance Requirements for Final Inspection and Test). These requirements also apply to all sub-contractors involved in this contract.

GQA HEADER:

Government Quality Assurance is not required for this contract. The Contractor must provide a Certificate of Conformity (CoC). Template to be used is to be found in AQAP2070. In case the contractor is not the manufacturer, the contractor shall provide a copy of the COC received from the manufacturer.

Evaluation criteria:

The criteria, which NSPA will employ in selecting the successful offerer will be in the following order: a. compliance with the Terms and Conditions of the RFP, b. lowest price. Although that the lowest price will be the predominant criteria in the evaluation of the proposals, NSPA is also concerned to receive your best delivery terms.

Table with 4 columns: Line item, Stock Number Description, Unit of Issue, Quantity. Row 1: 30, 5310998402051 NUT,SELF-LOCKING,PLATE, each, 20

ITEM NAME..... NUT,SELF-LOCKING,PLATE
THREAD DIRECTION..... RIGHT-HAND



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

NUT STYLE..... PLATE
THREAD SERIES..... MJ
NOMINAL THREAD SIZE..... 5.00 MILLIMETERS
THREAD PITCH IN MILLIMETERS..... 0.80
THREAD CLASS..... 4H6H
MATERIAL DOCUMENT AND
CLASSIFICATION BASE..... AMS5085 ASSN STD SINGLE MATERIAL
RESPONSE
MATERIAL DOCUMENT AND
CLASSIFICATION NUT..... AMS 6322 ASSN STD SINGLE MATERIAL
RESPONSE
MATERIAL BASE..... STEEL
MATERIAL NUT..... STEEL
SURFACE TREATMENT BASE..... CADMIUM
SURFACE TREATMENT NUT..... CADMIUM
SURFACE TREATMENT DOCUMENT AND
CLASSIFICATION BASE..... QQ-P-416 TYPE 2 ASSN STD SINGLE
TREATMENT RESPONSE
SURFACE TREATMENT DOCUMENT AND
CLASSIFICATION NUT..... QQ-P-416 ASSN STD SINGLE TREATMENT
RESPONSE
NUT LENGTH..... 25.20 MILLIMETERS MAXIMUM
NUT HEIGHT..... 7.20 MILLIMETERS MAXIMUM
PLATE THICKNESS..... 0.70 MILLIMETERS MINIMUM AND 0.90
MILLIMETERS MAXIMUM
PLATE WIDTH..... 11.60 MILLIMETERS MAXIMUM
REMOVABLE NUT MANUFACTURER CODE. U7941
REMOVABLE NUT MANUFACTURER PART
NUMBER..... EF353
LOCKING FEATURE..... ANY ACCEPTABLE
NUT MOUNTING PROVISION..... STRAIGHT HOLES
MOUNTING HOLE ARRANGEMENT STYLE. 2 HOLES
MOUNTING HOLE DIAMETER..... 2.50 MILLIMETERS MINIMUM AND 2.70
MILLIMETERS MAXIMUM
DISTANCE FROM APERTURE CENTER
TO MOUNTING HOLE CENTER..... 9.40 MILLIMETERS MINIMUM AND 9.60
MILLIMETERS MAXIMUM
CENTER TO CENTER DISTANCE
BETWEEN MOUNTING HOLES ALONG
LENGTH..... 18.95 MILLIMETERS MINIMUM AND 19.05
MILLIMETERS MAXIMUM
END ITEM IDENTIFICATION..... EH101 HELICOPTER
PROPRIETARY CHARACTERISTICS..... NPAC

REFERENCES:

Table with 3 columns: CAGE Code, Name, Part Number. Rows include U1725 (MINISTRY OF DEFENCE), A3856 (PAOLO ASTORI SPA), 15653 (FAIRCHILD FASTENERS), and U7941 (LEONARDO MW LTD).

AUTHORIZED CAGE CODE: U1725 / A3856 / 15653 / U7941 / K6405



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

P/N: EF343-050

CONDITION:

NEW, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM THE OEM

NEW SURPLUS, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM OEM

OVERHAULED/REFURBISHED, WHEN OVERHAULED/REFURBISHED IS APPLICABLE TO THE MATERIAL TYPE, COC FROM THE AUTHORITY PERFORMING THE OVERHAUL/REFURBISHMENT IN ACCORDANCE WITH THE RFP'S QUALITY REQUIREMENTS

ALL BIDDERS MUST CLEARLY DECLARE THE SOURCE AND TYPE OF COC IN THEIR OFFER TO BE CONSIDERED FOR EVALUATION.

EVALUATION CRITERIA:

FIRST LEVEL WILL BE THE AUTHORIZED CAGE CODE AND P/N IN NEW OR NEW SURPLUS CONDITION.

DELEVERY TIME TO SUPPLY SHALL NOT EXCEED 18 MONTHS AFTER CONTRACT AWARD (CA)

IF NO OFFER FOR NEW OR NEW SURPLUS IS RECEIVED, OFFERS WITH CONDITION OVERHAULED/REFURBISHED MAY BE TAKEN INTO CONSIDERATION PROVIDED THAT THE BIDDER CAN DEMONSTRATE THAT THE OVERHAUL/REFURBISHMENT WAS PERFORMED WITH THE QUALITY STANDARDS EXPRESSED IN THE RFP.

IF ONLY VALID OFFERS RECEIVED FOR ALTERNATE CAGE CODE, P/N AND CONDITION, THESE MAY BE ACCEPTED UPON APPROVAL BY THE END USER WITH THE PROOF OF DOCUMENT OF REPLACEMENT OR EVOLUTION OR INTERCHANGIBILITY WITH THE OFFER.

Quality assurance requirements:

This contract shall meet the AQAP 2131 requirements (NATO Quality Assurance Requirements for Final Inspection and Test). These requirements also apply to all sub-contractors involved in this contract.

GQA HEADER:

Government Quality Assurance is not required for this contract.

The Contractor must provide a Certificate of Conformity (CoC). Template to be used is to be found in AQAP2070.

In case the contractor is not the manufacturer, the contractor shall provide a copy of the COC received from the manufacturer.

Evaluation criteria:

The criteria, which NSPA will employ in selecting the successful offerer will be in the following order:

- a. compliance with the Terms and Conditions of the RFP,
- b. lowest price.

Although that the lowest price will be the predominant criteria in the evaluation of the proposals, NSPA is also concerned to receive your best delivery terms.



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

Line item	Stock Number Description	Unit of Issue	Quantity
40	5310142160397 WASHER,LOCK	each	2
	ITEM NAME.....	WASHER, LOCK	
	HOLE DIAMETER.....	4,1 MILLIMETERS NOMINAL	
	OUTSIDE DIAMETER.....	8,0 MILLIMETERS NOMINAL	
	MATERIAL THICKNESS.....	0,5 MILLIMETERS NOMINAL	
	END ITEM IDENTIFICATION.....	APPAREIL DE RADIOLOGIE MARSMARINE 130W4939C	
	MATERIAL.....	ACIER COMP XC55 A XC90	
	MATERIAL DOCUMENT AND CLASSIFICATION OVERALL.....	MA-E25-E27 CODE AX MIL SPEC SINGLE MATERIAL RESPONSE	
	SURFACE TREATMENT OVERALL.....	CADMIUM AND CHROMATE	
	SURFACE TREATMENT DOCUMENT AND CLASSIFICATION OVERALL.....	MA-E25-E27 CODE L MIL SPEC SINGLE TREATMENT RESPONSE	
	STYLE DESIGNATOR.....	FLAT INTERNAL TEETH	



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

REFERENCES:

CAGE Code	Name	Part Number
A00AM	E.C.A ETABLISSEMENT CENTRAL DES APP	MAF0001000512
F0016	ARQUUS (EX PANHARD GENERAL DEFENSE)	233021
F0016	ARQUUS (EX PANHARD GENERAL DEFENSE)	528290
F0086	DAHER AEROSPACE	Z00.N5718061160
F0110	AFNOR	E27618G40AJTL
F0110	AFNOR	E27618G40AXTL
F0110	AFNOR	E27618G40EDTL
F0110	AFNOR	E27625-40AXTCG
F0110	AFNOR	E27625-40AXTL
F0110	AFNOR	E27625-40EKTL
F0110	AFNOR	E27625-40ELTL
F0110	AFNOR	E27625-40EMTL
F0110	AFNOR	E27625-40NBTL
F0110	AFNOR	KAAJ040TL
F0110	AFNOR	KAAX040TL
F0110	AFNOR	XBAX040TL
F0210	AIRBUS HELICOPTERS	N3235DI4
F0217	SAFRAN ELECTRICAL & POWER	9-310057-000
F0217	SAFRAN ELECTRICAL & POWER	9310057000
F0226	STOKVIS & FILS SA	12M4CADMIE
F0296	THALES AVIONICS ELECTRICAL SYSTEMS	46102
F0301	SAFRAN AIRCRAFT ENGINES	620-850-227-0
F0349	LISI AUTOMOTIVE NOMEL	20-040-1-03
F0349	LISI AUTOMOTIVE NOMEL	20040-1-03
F0349	LISI AUTOMOTIVE NOMEL	200401-03
F0349	LISI AUTOMOTIVE NOMEL	200401-24
F0349	LISI AUTOMOTIVE NOMEL	9312542046
F0349	LISI AUTOMOTIVE NOMEL	JZ4
F0467	PEUGEOT AUTOMOBILES SA	B4
F0555	MBDA FRANCE	0123047D00
F2181	GDI SIMULATION SA	2221
F6481	THALES RESEARCH ET TECHNOLOGIE	99018295
F6481	THALES RESEARCH ET TECHNOLOGIE	99109025
F6930	DCN	5310JG-DI04
KC381	AIRBUS HELICOPTERS UK LTD	N3235DI4

AUTHORIZED CAGE CODE: A00AM / F0016 / F0086 / F0110 / F0181 / F0210 / F0217 / F0226 / F0230 / F0296 / F0301 / F0302 / F0349 / F0467 / F0555 / F0588 / F0796 / F1236 / F2181 / F2314 / F3033 / F6158 / F6310 / F6481 / F6930 / KC381

P/N: B4

CONDITION:

NEW, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM THE OEM

NEW SURPLUS, FROM OEM WITH COC OR TRACEABLE TO OEM WITH COC FROM OEM

OVERHAULED/REFURBISHED, WHEN OVERHAULED/REFURBISHED IS APPLICABLE TO THE MATERIAL TYPE, COC FROM THE AUTHORITY PERFORMING THE OVERHAUL/REFURBISHMENT IN ACCORDANCE WITH THE RFP's QUALITY REQUIREMENTS



NATO SUPPORT AND PROCUREMENT AGENCY
AGENCE OTAN DE SOUTIEN ET D'ACQUISITION

NATO UNCLASSIFIED

ALL BIDDERS MUST CLEARLY DECLARE THE SOURCE AND TYPE OF COC IN THEIR OFFER TO BE CONSIDERED FOR EVALUATION.

EVALUATION CRITERIA:

FIRST LEVEL WILL BE THE AUTHORIZED CAGE CODE AND P/N IN NEW OR NEW SURPLUS CONDITION.

DELEVERY TIME TO SUPPLY SHALL NOT EXCEED 18 MONTHS AFTER CONTRACT AWARD (CA)

IF NO OFFER FOR NEW OR NEW SURPLUS IS RECEIVED, OFFERS WITH CONDITION OVERHAULED/REFURBISHED MAY BE TAKEN INTO CONSIDERATION PROVIDED THAT THE BIDDER CAN DEMONSTRATE THAT THE OVERHAUL/REFURBISHMENT WAS PERFORMED WITH THE QUALITY STANDARDS EXPRESSED IN THE RFP.

IF ONLY VALID OFFERS RECEIVED FOR ALTERNATE CAGE CODE, P/N AND CONDITION, THESE MAY BE ACCEPTED UPON APPROVAL BY THE END USER WITH THE PROOF OF DOCUMENT OF REPLACEMENT OR EVOLUTION OR INTERCHANGIBILITY WITH THE OFFER.

Quality assurance requirements:

This contract shall meet the AQAP 2131 requirements (NATO Quality Assurance Requirements for Final Inspection and Test). These requirements also apply to all sub-contractors involved in this contract.

GQA HEADER:

Government Quality Assurance is not required for this contract.

The Contractor must provide a Certificate of Conformity (CoC). Template to be used is to be found in AQAP2070.

In case the contractor is not the manufacturer, the contractor shall provide a copy of the COC received from the manufacturer.

Evaluation criteria:

The criteria, which NSPA will employ in selecting the successful offerer will be in the following order:

- a. compliance with the Terms and Conditions of the RFP,
- b. lowest price.

Although that the lowest price will be the predominant criteria in the evaluation of the proposals, NSPA is also concerned to receive your best delivery terms.